



**INDUSTRIES LTD.**

[www.wescovan.com](http://www.wescovan.com)

**FIRE  
FIGHTING**

## Forestry Fire Fighting Equipment



Head Office: Unit 1, 9663-199A Street Langley BC V1M 2X7

Phone: 604 881 3000 Fax: 604 881 3010

Email: [info@wescovan.com](mailto:info@wescovan.com)

Rigging Centre: 2437 Beta Avenue Burnaby BC V5C 5N1

Phone: 604 292 1220 Fax: 604 292 1222

Email: [burnaby@wescovan.com](mailto:burnaby@wescovan.com)



## High Pressure Forestry Fire Hose

Stock Code	Size Inches	Type	Length Feet	Test Pressure (P.S.I.)	Burst Pressure (P.S.I.)	Weight Pounds
32HSL-24ECP	3/4	Econoflo	50	300	600	2.5
32HSL-32/100NLC	1	Securoflo	100	300	800	7.0
32HSL-48/100HSC	1-1/2	Hotshot	100	300	900	12.0

**Econoflo 625** all Synthetic lined non-weeping multi-purpose high pressure fire hose complete with brass ferrule type couplings both ends, garden hose thread.

**Securoflo** all Synthetic lined non-weeping fire hose complete with instantaneous couplings both ends.

**Hotshot** cotton-polyester jacket, polyurathane lined self-protecting weeping fire hose complete with instantaneous couplings both ends.



## High Pressure Forestry Fire Hose

This single jacket lined (non-weeping) forestry fire hose features an all synthetic jacket woven to resist abrasion, and a smooth polyester elastomer lining to keep friction loss low. This is also resistant to oil, chemicals, ozone and aging.

This hose is an economical all-synthetic fully-lined hose especially designed for the forestry industry. The finely woven bias-weave jacket construction gives the hose adequate abrasion resistance under moist conditions. In addition the product has also been Latex treated to improve abrasion resistance and durability. Available in 50 feet and 100 feet lengths, fitted with 1/4 turn instantaneous forestry hose couplings, or brass threaded couplings.

### Specifications:

Size Diameter	1 1/2"
Bowl Size Inches	1 11/16"
Test Pressure	300 PSI
Burst Pressure	700 PSI
Weight Uncoupled	11Pounds
Roll (100ft) Diameter	15 inches

Stock Code	Coupling Type	Length Feet	Dry Weight Pounds
32HSL-48/050BLC	Aluminum 1/4 Turn Instantaneous Coupling	50	8
32HSL-48/100BLC		100	13
32HSL-48/050BLT	Brass Threaded Couplings	50	9
32HSL-48/100BLT		100	14

# Adjustable Fog & Straight Stream Nozzles



Stock Code	Size Inches	Type	Type of Threads	Pounds Each
32HX-N24PSS	3/4	Polycarbonate Fog Nozzle c/w Rubber Bumper (Back up washer included)	Garden Hose	1.50
32HX-N32PSS	1		N.P.T	1.50
32HX-N48PSS	1 1/2		N.P.T	2.00
32HX-N64PSS	2		N.P.T	2.50



Stock Code	Size Inches	Type	Type of Threads	Pounds Each
32HX-NZBCB48	1 1/2	Brass Adjustable Fog Nozzle c/w Rubber Bumper (Back up washer included)	N.P.T	2.50



Stock Code	Size Inches	Type	Type of Threads	Pounds Each
32HX-NZPB48W	1 1/2 x 10" long	Red plastic straight stream nozzle (back up washer included)	N.P.T	1.50



Stock Code	Size Inches	Type	Type of Threads	Pounds Each
32HX-NZBC48	1 1/2 x 10" long	Brass straight stream nozzle (back up washer included)	N.P.T	4.00



Stock Code	Size Inches	Type	Type of Threads	Pounds Each
32HX-NS24BR	3/4	Brass 625 adjustable straight stream nozzle for Econoflo hose (back up washer included)	N.P.T	0.50

Stock Code	Size Inches	Type	Type of Threads	Pounds Each
32HX-NZPB48TT	1 1/2 x 9 1/2" long	Red plastic twin tip straight stream nozzle (back up washer included)	N.P.T	1.50



## ABC Multipurpose Dry Chemical Extinguishers Steel Shell



Simple seize & squeeze operation.

Highly visible, easy to read pressure gauge.

Non-conductivity.

All steel cylinder with a weather resistant baked polyester, enamel finish.

Long life valve.

Critical components designed to last.

Easy to follow pictorial instructions.

Discharge hose will not conduct electricity for operator safety.

Designed for safe operation, fingers can not get trapped.

Pyrene quality powder contains a high percentage of Monoammonium Phosphate for superior fire knock down capabilities.

Operable at temperatures from -65°F to +120° F, permitting use under adverse conditions..

Stock Code	Model	ULC Rating	Discharge Metres (feet)	Discharge Time	Bracket Type
32HFE-ABC025P	2 1/2 lbs	1A, 5B, C	3 (11)	10 Seconds	Vehicle
32HFE-ABC025P	5 lbs	3A, 10B, C	4 (15)	15.2 Seconds	Vehicle
32HFE-ABC025P	10 lbs	6A, 80B, C	4 (15)	21 Seconds	Wall
32HFE-ABC025P	20 lbs	10A, 120B, C	6.75 (25)	27 Seconds	Wall

# Hand Operated Back Pack Pumps



Stock Code	Size Inches	Type	Material	Pounds Each
32PMP-OT5W	4 1/2 Imperial Gallons (20 litres)	Heavy duty polycarbonate - perforated strainer - ventilated form fitting back plate - large cam lock style cap.	Heavy Duty Polycarbonate	14.00 Dry and Empty



Stock Code	Size Inches	Type	Material	Pounds Each
32PMP-SMKCHSR	5 US Gallons (22.5 litres)	Neoprene/Nylon fabric bag - May be stored wet with no water loss caused by evaporation - Military spec web shoulder straps.	Neoprene Nylon	4.00 Dry and Empty

## Fire Buckets



Stock Code	Size Inches	Type	Colour Outside	Pounds Each
32TPL-FRRB	12 Litres	Round bottom galvanized steel "FOR FIRE ONLY"	Red	2.50



Stock Code	Size Inches	Type	Colour Outside	Pounds Each
32TPL-GFB12	12 Litres	Flat bottom galvanized steel "FOR FIRE ONLY"	Red	2.10

## Collapsible Fire Buckets

Stock Code	Size Inches	Type	Colour Outside	Pounds Each
32TPL-CANVAS	12 Litres	PVC Collapsible Fire Bucket	Bright Orange	2.00

## Fire Axes and Pulaski Axes

Stock Code	Pounds	Type	Handle Length Inches	Pounds Each
32TAX-SB2.25	2 1/4	Red single bit Fire Axe c/w hickory handle	24	2.25
32TAX-SB3.00	3		32	3.00
32TAX-SB4.00	4		36	4.00



Stock Code	Pounds	Type	Handle Length Inches	Pounds Each
32TAX-DB3.5LBS	3 1/2	Red double bit Fire Axe c/w hickory handle	36	3.50



Stock Code	Pounds	Type	Handle Length Inches	Pounds Each
32TMAT-EC	3 1/2	Red Pulaski mattock and Axe c/w Hickory handle	36	3.50



## Fire Shovels

Stock Code	Size Inches	Type	Handle Length Inches	Pounds Each
32TSHTR-39	8 1/2 x 11 1/2	Red round point hollow back fire shovel	44	3.50



## PVC Collapsible Gravity Funnel

Stock Code	Size Inches	Type	Colour	Pounds Each
32FUN-GRAFA -145	14 Rim x 47 Long	Rot & Mildew resistant - Corrosion Resistant - Supplied with Poly Rope - c/w Instantaneous coupling connection	Bright Orange	2.00



# Coupling, Hydrant Wrenches & Hose Clamps



Stock Code	Size Inches	Type	Material	Pounds Each
32WR-80/48	Hydrofit	Coupling Wrench	Aluminum	1.00



Stock Code	Size Inches	Type	Material	Pounds Each
32WR-ACOUPLING	Instantaneous	Coupling Wrench	Aluminum	1.00



Stock Code	Size Inches	Type	Material	Pounds Each
32THC-32/48	1 & 1 1/2	Forestry style hand hose clamp c/w Rubber insert	Aluminum	2.00

## Instantaneous Couplings & Adapters



Stock Code	Size Inches	Type of Threads	Pounds Each
32HX-CA32	1	No Threads	0.25
32HX-CA48	1-1/2	No Threads	0.25

**Aluminum Instantaneous 1/4 turn hose coupling. (grooved vinyl gasket included).**



Stock Code	Size Inches	Type of Threads	Pounds Each
32HX-ADM24GHT	3/4	Garden Hose Thread	0.25
32HX-ADM32	1	NPT	0.25
32HX-ADM48	1-1/2	NPT	0.25

**Aluminum Male-Instantaneous 1/4 turn adapter. (grooved vinyl gasket included).**

Stock Code	Size Inches	Type of Threads	Pounds Each
32HX-ADF24GHT	3/4	Garden Hose Thread	0.25
32HX-ADF32	1	NPT	0.25
32HX-ADF48	1-1/2	NPT	0.25



**Aluminum Female-Instantaneous 1/4 turn adapter.  
(grooved vinyl gasket & back up washer included).**

Stock Code	Size Inches	Type of Threads	Pounds Each
32PL-48	3/4, 1, & 1-1/2	No Threads	0.25



**Aluminum Instantaneous 1/4 turn coupling plug.  
(grooved vinyl gasket included)**

## Threaded Couplings

Stock Code	Size Inches	Material - Type of Threads	Pounds Each
32HX-CP32	1	Brass - N.P.T.	0.25
32HX-CB48	1-1/2	Brass - N.P.T.	0.25



**Threaded Couplings (Complete with vinyl back up washers and brass expansion rings)**

## 3 Way Valves

Stock Code	Size Inches	Type of Threads	Pounds Each
32HY-P48MMM	1-1/2	Plastic with NPT Male threaded connections all ends.	2.00



Stock Code	Size Inches	Type of Threads	Pounds Each
32HY-A48IN	1-1/2	Aluminum with instantaneous adapters all ends (grooved vinyl gasket included)	0.25



## Plastic 3 Way Wye's



Stock Code	Size Inches	Type of Threads	Pounds Each
32HY-P48IN	1-1/2	Plastic with Aluminum instantaneous adapters all ends (grooved vinyl gasket included)	0.25

## Garden Hose Thread 3 Way Valves



Stock Code	Size Inches	Type of Threads	Pounds Each
32HYV-D24GHT	3/4 x 3/4 x 3/4	Die cast 3 way valve c/w 2 male, 1 female threaded (3/4") ends (back up washer included)	1.50

## Garden Hose Thread Shut-off Valve



Stock Code	Size Inches	Type of Threads	Pounds Each
32HYV-M24RB	3/4	Die cast female to male threaded shut-off valve (back up washer included)	1.00

## Fire Hose Reducer Adapters and Hydrant Adapters



Stock Code	Size Inches	Type	Material	Pounds Each
32A-F80M48P	2 1/2 to 1 1/2	BCH to NPT Hydrant reducing adapter (back up washer included)	Polycarbonate	0.70

# Instantaneous Aluminum Check Valve

Stock Code	Size Inches	Type	Pounds Each
32HYCH-A48IN	Instantaneous	1/4 turn check valve c/w brass drain pin (grooved vinyl gaskets included)	0.70



# Fire Hose Water Thief Tees

Stock Code	Size Inches	Type	Thread	Pounds Each
32HYWT-P48IN	2 Instantaneous x 3/4"	Plastic c/w aluminum instantaneous adapter each end (grooved vinyl gaskets included), 3/4" male garden hose thread outlet	Garden Hose Threads	2.00



Stock Code	Size Inches	Type	Thread	Pounds Each
32HYWT-P48MMM	1 1/2 x 1 1/2 x 3/4"	Plastic (2 threaded 1 1/2" male NPT, 3/4" male garden hose thread outlet)	2 - NPT 1 - Garden Hose Threads	1.50



# Foot Valves c/w Strainers

Stock Code	Size Inches	Type	Pounds Each
32HFV-S48NPT	1 1/2	Cast iron foot valve c/w strainer (NPT female threads)	2.00
32HFV-S64NPT	2		3.00
32HFV-S80NPT	2 1/2		4.00



Stock Code	Size Inches	Type	Pounds Each
32HFV-B32NPT	1	Bronze spring loaded foot valve c/w strainer (NPT female threads)	2.00
32HFV-B48NPT	1 1/2		3.00
32HFV-B64NPT	2		4.00



# Expansion Rings, Grooved Gaskets and Backup Washers



Stock Code	Size Inches	Type	Pounds Each
32HX-RG32	1	Brass Expansion Ring	0.02
32HX-RG48	2		0.10



Stock Code	Size Inches	Type	Pounds Each
32HX-WSF12	3/4", 1" & 1 1/2"	Grooved Vinyl Gaskets (for instantaneous connections)	0.01



Stock Code	Size Inches	Type	Pounds Each
32HX-WSF19	1	Vinyl Backup Washers	0.01
32HX-WSF20	1 1/2		0.01



# INDUSTRIES LTD.

[www.wescovan.com](http://www.wescovan.com)

Head Office: Unit 1, 9663-199A Street  
Langley BC V1M 2X7

Phone: 604 881 3000

Fax: 604 881 3010

Email: [info@wescovan.com](mailto:info@wescovan.com)

Rigging Centre: 2437 Beta Avenue  
Burnaby BC V5C 5N1

Phone: 604 292 1220

Fax: 604 292 1222

Email: [burnaby@wescovan.com](mailto:burnaby@wescovan.com)

## Distributors of:

**Wire Rope & Fittings** - Powerstrand, Python, Esco, Crosby.

Wire Rope all types of constructions and diameters, Wire Rope Fittings, Wire Rope Assemblies, Grips, Hooks, & Links.

**Slings** - Powerstrand, Gunnebo, Campbell, Procraft.

Wire Rope, Chain, Webbing, Endless Polyester & Rope.

**Chain & Fittings** - Campbell, Gunnebo - Grabiq, Procraft.

Grade 30, Mooring & Lashing, Grade 70, 80 & 100.

**Hoists & Trolleys** - Columbus Mckinnon, Coffing & Campbell.

Chain Hoists, Lever Hoists, Cummalongs, Electric Hoists, Air Hoists, Winches, Beam Clamps & Trolleys.

**Lifting Equipment** - CM, Merrill, Terrier, Johnson, Rud, Crosby.

Shackles, Hooks, Plate Clamps, Crane Blocks, Eyebolts, Turnbuckles

**Cordage** - Novatec Braid, Samson, Procraft.

Double Braid, 12 Strand, 8 Strand, 3 Strand & Cords.

**Towing & Tie Down** - Procraft, CM, Crosby.

Loadbinders, Straps, Chain & Hooks, & Wire Rope Assemblies.

## Industries Supplied:

Crane, Construction, Logging, Marine, Industrial, Towing, Entertainment, Elevator, Mining, Offshore Oil & Gas, Fishing, Forestry, Utilities, Steel Works & Rigging.

